



प.स: २०८२/०८३
च.नं.

चुरे गाउँपालिका
(Chure Rural Municipality)
गाउँ कार्यपालिकाको कार्यालय
(Office Of The Rural Municipal Executive)



घरखेडा, कैलाली
सुदूरपश्चिम प्रदेश, नेपाल




दररेट पेश गर्ने सम्बन्धि सूचना

प्रकाशित मिति: २०८३/०१/२४

१. चुरे गाउँपालिका अन्तर्गत निम्न प्रकारको खरिद कार्यका लागि दररेट पेश गर्नका लागि यो सूचना प्रकाशित गरिएको छ।

क्रम.सं	विवरण	जम्मा रकम (मु.अ.कर बाहेक)	दररेट पेश गर्ने अन्तिम मिति , समय र स्थान	कैफियत
१.	Supply and delivery of 8 meter Galvanized Steel Tubular Pole	८,८४,१८०.९९/-	(१४ मे २०२६) २०८३/०१/३१ वि.सं, १२:०० बजे दिउसो सम्म, चुरे गाउँपालिका कार्यपालिकाको कार्यालय	

२. दररेट पेश गर्ने सप्लायर्सले अनिवार्य रुपमा दररेट पेश गर्ने ब्यहोरा सम्बन्धको लिखित निवेदन सहित नविकरण भएको फर्म/ कम्पनि दर्ता प्रमाणपत्रको प्रतिलिपि, नविकरण भएको व्यवसायी दर्ता (इजाजत पत्र) प्रमाणपत्रको प्रतिलिपि, मु.अ कर दर्ता प्रमाणपत्रको प्रतिलिपि र आ.व २०८१/०८२ को कर चुक्ता प्रमाणको प्रतिलिपि संलग्न गरि पेश गर्नुपर्ने छ।
३. उक्त कार्यहरूको लागि आवश्यक BOQ र Specification यस कार्यालयको वेबसाइट <https://churemun.gov.np/> बाट डाउनलोड गर्न सकिनेछ। Specification बमोजिमको सामग्री नआएमा उक्त सामग्री स्वीकार गर्न कार्यालय बाध्य हुने छैन।
४. BOQ मा आफुले कबोल गरेको रकम अंक र अक्षरमा स्पस्ट बुझिने गरि लेखेर पेश गर्नुपर्ने छ। केरमेट भएको दररेट (BOQ) मुल्यांकनमा समावेश गरिने छैन।
५. दररेट स्वीकार तथा अस्वीकार गर्ने अन्तिम निर्णय यस चुरे गाउँपालिकाको कार्यालयमा निहित रहने छ।



प्रमुख प्रशासकीय अधिकृत
प्रमुख प्रशासकीय अधिकृत

Web: www.churemun.gov.np, email: chure.gaupalika@gmail.com, <http://info@churemun.gov.np>

Mobile no. 9858485303, 9858488012, 9858488013



Chure Rural Municipality
Official of Rural Municipal Executive
Gharkheda, Kailali, Nepal


धर्मराज खत्री
प्रमुख प्रशासकीय अधिकृत

Name of the Project: Supply and delivery of 8 meter Galvanized Steel Tubular Pole

Location: Chure Rural Municipality office

Bill Of Quantities (BOQ)

S.N	Item Description	Unit	Quantity	Rate		Amount	Remarks
				In Number	In Words		
1	Supply And Delivery Of 8 m Hot Deep Galvanized pole with diameter of Pole section 5" for bottom 4.5 m, 4" for middle 1.75 m and 3" for 1.75 m	Pcs	33			-	
2	Supply and Delivery Of Stay set	Set.	11				
3	Supply and Delivery Of Stay wire	Kg.	60.5				
Sub-Total							
VAT (13%)						-	
Total Cost With VAT						-	

Supplier's Firm Name:	Stamp	
Address:		
Name Of Contractor:		
Signature:		

धर्मराज खत्री
प्रमुख प्रशासकीय अधिकृत

Specifications of pole

S.N	Description	Specifications
1	Type	Hot Deep Galvanized (Minimum 80 micron)
2	Height	8 Meters
3	Thickness	Top 1.75 meter: 3.25 mm Middle 1.75 Meter: 4.85 mm Bottom 4.5 meter: 5.4 mm
4	Diameter of Pole Sections	Top: 1.75 meter: At least 3 inch Middle 1.75 meter: At least 4 inch Bottom 4.5 meter : At least 5 inch
5	Arm	Single arm or double arm depending upon the site condition
6	Weight of pole only	At least 95 kg

Specifications of Stay Set And Stay Wire

S.N	Section	Item	Specification	Unit	Remarks
1	Stay Rod	Material	Mild Steel, Hot Dip Galvanized	-	-
2	Stay Rod	Diameter	16	mm	-
3	Stay Rod	Length	2000	mm	Minimum
4	Anchor Plate	Size	300x300x6	mm	GI
5	Stay Wire	Type	GI Standard (7/3.15 mm)	-	Standard LT
6	Turnbuck	Size	16	mm	GI
7	Weight of pole only	Type	Procelain Egg Type	-	